



***Inami & Co., Ltd.***



Certificate:  
09 105 89060

# **L-4550**

## **INTERNAL READING LENSMETER**

**INTERNAL READING LENSMETER L-4550**



## Specifications of L-4550 (Cross Line Target)

1. Complete analysis of lenses.
  - A. Determination of sphere power.  
Range of measurement of vertex power:  
0 to  $\pm 25.00D$ .  
Up to  $\pm 3.00D$ . in  $0.125D$ . steps and over  $\pm 3.00D$ . in  $0.25D$ . steps.
  - B. Determination of cylinder power.
  - C. Determination of cylinder axis:  $0^\circ$  to  $180^\circ$  in  $1^\circ$  step.
  - D. Determination of prism power:  $6 \Delta$  (read in view field).  
Prism compensator: Maximum  $15 \Delta$  in  $1 \Delta$  step.
2. Instrument tilting angle: Freely adjustable between  $30^\circ$  to  $90^\circ$ .
3. Measurable lens diameter: 32mm to 90mm.
4. Accurate centering and marking of lenses.
5. Lamp: 110V, 220V, 240V-15W.(L4530V0)
6. Size: 413mm(H:at  $90^\circ$ )335mm(H:at  $30^\circ$ )  $\times$  160mm(W)  $\times$  422(D)mm.
7. Weight: 4.9kg.
8. Accessories: 2 spare lamps, a fuse and a dust cover.
9. Optional Accessories: Prism Compensator.



**L-4500  
CYBER - LENSMETER**



Certificate:  
09 105 89060

●Specifications subject to change without prior notice.



### **Inami & Co., Ltd.**

**BIYOGI RESEARCH INSTITUTE**  
No. 3-14-13, Biyogi, Toda-City,  
Saitama-Pref. 335-0031, Japan  
Tel. 81-48-422-0173 Fax. 81-48-421-3838  
Website :<http://www.inami.co.jp>  
E-Mail : [ibri@inami.co.jp](mailto:ibri@inami.co.jp)  
®TRADE MARK OF INAMI & CO., LTD.

### **HEAD OFFICE**

No. 24-2, Hongo 3-Chome,  
Bunkyo-ku, Tokyo 113-0033, Japan  
Tel. 81-3-3814-5916 Fax. 81-3-5684-2126  
Website :<http://www.inami.co.jp>  
E-Mail : [inamifd@inami.co.jp](mailto:inamifd@inami.co.jp)  
®TRADE MARK OF INAMI & CO., LTD.

ZBJ/500